

00684.003304

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
	:	Examiner: L.T. Tran
Takeji Niikura)	
	:	Group Art Unit: 2853
Application No.: 10/026,703)	
	:	Confirmation No.: 9262
Filed: December 27, 2001)	
	:	
For: RECORDING APPARATUS)	
	:	
U.S. Patent No. 7,114,805 B2)	
	:	November 16, 2007
Issued: October 3, 2006)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes and mistakes which are not the fault of the Patent and Trademark Office. A Certificate of Correction form is attached.

The statutory fee of \$100.00 is being paid electronically. Any additional fee required by this paper may be charged to Deposit Account No. 06-1205.

Patentee's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below-listed address.

Respectfully submitted,

/Scott D. Malpede/

Scott D. Malpede
Attorney for Patentee
Registration No. 32,533

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

SDM/kag

FCHS_WS 17375994v1

Staple
Here
Only!

PRINTERS TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,114,805 B2

DATED : October 3, 2006

INVENTOR(S) : Takeji Niikura

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 6:

Line 14, "10f" should read --100f--.

COLUMN 9:

Line 44, "burning/crimping," should read --burring/crimping,--.

COLUMN 11:

Line 40, "ends" should read --end--.

COLUMN 12:

Line 22, "one an" should read --an--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,114,805 B2

No. of add'l. copies
@ 30¢ per page

